








■チップ

品名	外形	穴径 (mm)	コードNo.			N適応	DH適応	T適応
チップN		0.6	352	0101	001	-	-	002 016
		0.8	352	0101	002	-	K662B13	002 005
		0.9	352	0101	003	-	K662B12	002 001
		1.0	352	0101	004	-	K980C17	002 002
		1.2	352	0101	005	-	K980C19	002 003
		1.4	352	0101	006	-	K980C20	002 017
		1.6	352	0101	007	-	K980C21	002 004
		2.0	352	0101	008	-	-	-
		1.2-1.4	352	0101	012	-	-	-
チップWT		0.6	352	0201	001	-	-	-
		0.8	352	0201	002	-	K980B31	023 007
		0.9	352	0201	003	-	K980B32	023 008
		1.0	352	0201	004	-	K980C10	023 009
		1.0-1.1	352	0201	010	-	-	-
		1.2	352	0201	005	-	K980C12	023 010
		1.4	352	0201	006	-	K980C13	023 041
		1.6	352	0201	007	-	K980C14	023 011
		2.0	352	0201	008	-	-	-
		1.2-1.3	352	0201	009	-	-	-



■Pチップ

品名	外形	穴径 (mm)	コードNo.			N適応	DH適応	T適応
N-P		0.9	352	0103	001	TET00958	-	-
		1.0	352	0103	002	TET01067	-	-
		1.2	352	0103	003	TET12005	-	-
		1.4	352	0103	004	TET01447	-	-
		1.6	352	0103	005	TET01691	-	-
		1.2-1.4	352	0103	006	TET12006	-	-
WT-P		0.9	352	0203	001	TET00962	-	-
		1.0	352	0203	002	TET01071	-	-
		1.2	352	0203	003	TET12009	-	-
		1.4	352	0203	004	TET01451	-	-
		1.2-1.3	352	0203	005	TET12007	-	-


■細径チップ

品名	外形	穴径 (mm)	コードNo.			N適応	DH適応	T適応
細径ショートN		0.8	352	0104	001	-	-	-
		0.9	352	0104	002	-	-	-
		1.0	352	0104	003	-	-	-
		1.2	352	0104	004	-	-	-
細径ショートWT		0.8	352	0204	001	-	-	-
		0.9	352	0204	002	-	-	-
		1.0	352	0204	003	-	-	-
		1.2	352	0204	004	-	-	-
細径ロング		1.2-1.3	352	0204	005	-	-	-
		0.6	352	0105	006	-	-	-
		0.8	352	0105	001	TET00810	U4167H08	002 006
		0.9	352	0105	002	TET00915	U4167H07	002 007
		1.0	352	0105	003	TET01013	U4167H06	002 008
		1.2	352	0105	004	TET01220	U4167H05	002 009
		1.4	352	0105	005	TET01437	-	002 012



■Cチップ (ノンスパッタコーティングチップ)

品 名	外 形	穴径 (mm)	コードNo.			N適応	DH適応	T適応
N-C		0.6	352	0106	001	-	-	-
		0.8	352	0106	002	-	-	-
		0.9	352	0106	003	-	-	-
		1.0	352	0106	004	-	-	-
		1.2	352	0106	005	-	-	-
		1.4	352	0106	006	-	-	-
		1.6	352	0106	007	-	-	-
		2.0	352	0106	008	-	-	-
		1.2-1.4	352	0106	009	-	-	-
WT-C		0.6	352	0205	001	-	-	-
		0.8	352	0205	002	-	-	-
		0.9	352	0205	003	-	-	-
		1.0	352	0205	004	-	-	-
		1.2	352	0205	005	-	-	-
		1.4	352	0205	006	-	-	-
		1.6	352	0205	007	-	-	-
		2.0	352	0205	008	-	-	-
		1.2-1.3	352	0205	009	-	-	-


■C2チップ (ニューノンスパッタコーティングチップ)

品 名	外 形	穴径 (mm)	コードNo.			N適応	DH適応	T適応
N-C2		0.6	352	0107	001	-	-	-
		0.8	352	0107	002	-	-	-
		0.9	352	0107	003	-	-	-
		1.0	352	0107	004	-	-	-
		1.2	352	0107	005	-	-	-
		1.4	352	0107	006	-	-	-
		1.6	352	0107	007	-	-	-
		2.0	352	0107	008	-	-	-
		1.2-1.4	352	0107	009	-	-	-
WT-C2		0.6	352	0206	001	-	-	-
		0.8	352	0206	002	-	-	-
		0.9	352	0206	003	-	-	-
		1.0	352	0206	004	-	-	-
		1.2	352	0206	005	-	-	-
		1.4	352	0206	006	-	-	-
		1.6	352	0206	007	-	-	-
		2.0	352	0206	008	-	-	-
		1.2-1.3	352	0206	009	-	-	-

■MAチップ（銀タンチップ）

品 名	外 形	穴径 (mm)	コードNo.			N適応	DH適応	T適応
N-MA		0.8	352	0108	001	-	-	-
		0.9	352	0108	002	-	-	-
		1.0	352	0108	003	-	-	-
		1.2	352	0108	004	-	-	-
		1.4	352	0108	005	-	-	-
		1.6	352	0108	006	-	-	-
WT-MA		0.8	352	0208	001	-	-	-
		0.9	352	0208	002	-	-	-
		1.0	352	0208	003	-	-	-
		1.2	352	0208	004	-	-	-
		1.4	352	0208	005	-	-	-
		1.6	352	0208	006	-	-	-

■MIG/MAGチップ

品 名	外 形	穴径 (mm)	コードNo.			N適応	DH適応	T適応
N-MM		1.2-1.4	352	0110	001	-	-	-
		1.6-2.0	352	0110	002	-	-	-
WT-MM		1.2-1.4	352	0110	003	-	-	-
		1.6-2.0	352	0110	004	-	-	-